A Revealed Preference Analysis of Solutions to Simple Allocation Problems*

Özgür Kıbrıs[†] Sabancı University

April 16, 2008

Abstract

We interpret solution rules on a class of simple allocation problems as data on the choices of a policy-maker. We analyze conditions under which the policy maker's choices are (i) rational (ii) transitive-rational, and (iii) representable; that is, they coincide with maximization of a (i) binary relation, (ii) transitive binary relation, and (iii) numerical function on the allocation space. Our main results are as follows: (i) a well known property, contraction independence (a.k.a. IIA) is equivalent to rationality; (ii) every contraction independent and other-c monotonic rule is transitive-rational; and (iii) every contraction independent and other-c monotonic rule, if additionally continuous, can be represented by a numerical function.

JEL Classification numbers: D11, D81

Keywords: Rational, contraction independence, weak axiom of revealed preferences, strong axiom of revealed preferences, continuity, monotonicity.

^{*}This paper was written while I was visiting the University of Rochester. I would like to thank this institution for its hospitality. I would also like to thank Walter Bossert, Tarık Kara, Arzu Kıbrıs, Yves Sprumont, İpek Gürsel Tapkı, William Thomson, Rakesh Vohra as well as seminar participants at the University of Montreal and University of Rochester for comments and suggestions. Finally, I gratefully acknowledge the research support of the Turkish Academy of Sciences via a TUBA-GEBIP fellowship.

 $^{^\}dagger Faculty$ of Arts and Social Sciences, Sabanci University, 34956, Istanbul, Turkey. E-mail ozgur@sabanciuniv.edu Tel: +90-216-483-9267 Fax: +90-216-483-9250

1 Introduction

Revealed preference theory studies conditions under which by observing the choice behavior of an agent, one can discover the underlying preferences that govern it. Most of the earlier work on revealed preference theory analyzes consumers' demand choices from budget sets (e.g. see Samuelson, 1938, 1948). The underlying premise that choices reveal information about preferences, however, is applicable to a wide range of choice situations. For example, applications of the theory to bargaining games (Nash, 1950) characterize bargaining rules which can be "rationalized" as maximizing the underlying preferences of an impartial arbitrator (or, depending on the interpretation, a social welfare function of the bargainers) (Peters and Wakker, 1991; Bossert, 1994; Ok and Zhou, 1999; Sánchez, 2000).¹

In this paper, we carry out a revealed preference analysis on a class of solutions to *simple allocation problems*. A simple allocation problem for a society N is an |N| + 1 dimensional nonnegative real vector $(c_1, ... c_{|N|}, E) \in \mathbb{R}^N_+$ satisfying $\sum_N c_i \geq E$ where E, the **endowment** has to be allocated among agents in N who are characterized by c, the **characteristic vector**. Simple allocation problems have a wide range of applications. We discuss them in detail in *Subsection 1.1*.

We interpret an allocation rule on simple allocation problems as representing the choices of a decision-maker (e.g. a public-policy maker, a tax codifier or a bankruptcy judge). We then examine the conditions under which such a rule can be "rationalized" as maximizing a (possibly transitive) binary relation or a "utility" function (attributed to the decision-maker) on the allocation space. (Alternatively, an allocation rule can be interpreted as representing "social choices" of a group of agents and one can then analyze if these choices can be rationalized by a "joint-rationale" of the society.)

Note that our interpretation of a rule is different than that of the existing axiomatic literature on fair allocation (for a survey of which see Thomson, 1998). There, an allocation rule is typically interpreted as a proposal to the society evaluated by the researcher on the basis of a set of "desirable" properties. A rule is thus a normative construct. Alternatively, we interpret a rule to be a positive construct that describes the choices of a decision-maker.

An allocation rule is rational if there is a binary relation whose maximizers coincide with

¹Revealed preference theory has also been applied to discuss behavioral phenomena such as the framing effect (e.g. Rubinstein and Salant, 2006, 2007) or reference dependence (e.g. Masatlioglu and Ok, 2005; Tapki, 2007; or Bossert and Sprumont, 2007).

the rule's choices for every problem. In **Section 3**, we analyze properties of rational rules. Theorem 1 states that a rule is rational if and only if it satisfies a standard property called contraction independence (also called independence of irrelevant alternatives in the context of bargaining by Nash (1950) and Property α in the context of consumer choice by Sen (1971)). Peters and Wakker (1991) obtain a similar result in the context of bargaining.² In the context of consumer choice, however, rationality is stronger than contraction independence.

An allocation rule is transitive-rational if it can be rationalized by a transitive preference relation. In **Section 4**, we analyze properties of transitive-rational rules for two agents. Theorem 2 states that for two agents, every contraction independent (that is, rational) rule is also transitive-rational. A similar result exists in consumer theory (Rose (1958)). In bargaining theory, however, contraction independence is weaker than transitive-rationality (Peters and Wakker, 1991) even for the two-agent case.

In Section 5, we analyze transitive-rational rules for an arbitrary number of agents. We first observe existence of rational rules that are not transitive-rational. (This is in line with Gale (1960), Kihlstrom, Mas-Colell, and Sonnenschein (1976), and Peters and Wakker (1994) for consumer choice and with Peters and Wakker (1991) for bargaining, who show that counterparts of Theorem 2 do not generalize.) We then observe that all such rules violate a standard property called other-c monotonicity which requires that a change in the characteristic value of an agent should not affect other two agents in opposite ways. Other-c monotonicity is satisfied by most of the known allocation rules in the literature (Thomson, 2003 and 2007). (In the context of single-peaked preferences, a similar idea is formulated and analyzed by Thomson (1993 and 1997) and Barberà, Jackson, and Neme (1997).) The main result of this section, Theorem 3, states that every contraction independent rule that is other-c monotonic is also transitive-rational. To the best of our knowledge, this result is unique to this domain, that is, we are not aware of similar results on other domains that link rationality (i.e. contraction independence) to transitive-rationality via auxiliary properties.

In **Section 6**, we identify conditions under which a rule F is representable by a numerical function (in the sense that its choices always coincide with the maximizers of the function).

²The critical common features of the two domains that facilitate this result are as follows. First, rules considered are singleton-valued. Second, both domains are closed under intersection. Note that this second property does not hold in the context of consumer choice: intersections of budget sets are not always budget sets.

Theorem 4 states that every contraction independent and other-c monotonic rule that is also continuous is representable by a numerical function. It is interesting to note that, unlike Debreu (1954) and the following literature (such as Peters and Wakker, 1991; Richter, 1966; or Sondermann, 1982), the proof of Theorem 4 does not make use of a countable order-dense subset of \mathbb{R}^N_+ . In fact, we show, in Proposition 6, that for simple allocation problems, it is not possible to construct such a countable collection of sets. For complete binary relations, existence of a countable order-dense set is both necessary and sufficient for the existence of a numerical representation. However, since the revealed preference relation is typically incomplete on our class, we are able to construct a numerical representation.

For a rational rule, the underlying preference relation is independent of the problem in consideration, particularly of the agents' characteristics. However, there might be cases where it is more natural to allow the underlying preferences to depend on this data. In **Section 7**, we explore the implications of this alternative. Particularly, we formulate a weak rationality notion where the representing preference relation is allowed to depend on the characteristic vector c. Theorem 5 states that every allocation rule satisfies weak rationality: allowing the objective to depend on the characteristic values, every rule can be rationalized. A related result is by Young (1987) who characterizes a class of allocation rules which, for each characteristic vector, maximize an additively separable and strictly concave function. In this section, we also note that allowing the representing preference relation to depend on the social endowment E does not effect our findings.

Formally, the class of simple allocation problems is a subclass of the class of bargaining problems. (However, our results are not mere corollaries of those on bargaining problems. The more restricted structure of simple allocation problems makes new and interesting relationships between properties possible, such as noted in *Theorem 3*. At the other hand, as discussed in *Section 6*, it makes construction of a numerical representation a harder problem.) The classes of simple allocation problems and consumer choice problems have nonempty intersection but one class does not contain the other. (We note in *Subsection 1.1* that one application of our analysis is to consumer demand in fixed-price environments).

In the next subsection, we discuss the various applications of our analysis. In *Section 2*, we present our model and further discuss rational rules. In the following sections, we present our results as summarized above.

1.1 Examples and Applications

A simple allocation problem for a society N is an |N| + 1 dimensional nonnegative real vector $(c_1, ... c_{|N|}, E)$ which, with the exception of the last application below, is interpreted as follows. A social endowment E of a perfectly divisible commodity is to be allocated among members of N. Each agent $i \in N$ is characterized by an amount c_i of the commodity. Next, we discuss the alternative interpretations of c and E at various applications.

- 1. **Taxation:** A public authority is to collect an amount E of tax from a society N. Each agent i has $income\ c_i$. This is a central and very old problem in public finance. For example, see Edgeworth (1898) and the following literature. Young (1987) proposes a class of "parametric solutions" to this problem.
- 2. Bankruptcy: A bankruptcy judge is to allocate the remaining assets E of a bankrupt firm among its creditors, N. Each agent i has credited c_i to the bankrupt firm and now, claims this amount. For example, see O'Neill (1982) and the following literature. For a detailed review of the extensive literature on taxation and bankruptcy problems, see Thomson (2003 and 2007).
- 3. **Permit Allocation**: The Environmental Protection Agency is to allocate an amount E of pollution permits among firms in N (such as CO_2 emission permits allocated among energy producers). Each firm i, depending on its location, is imposed by the local authority an emission constraint c_i on its pollution level. For more on this application, see Kıbrıs (2003) and the literature cited therein.
- 4. Single-peaked or Saturated Preferences: A social planner is to allocate E units of a perfectly divisible commodity among members of N. Each agent i is known to have preferences with peak (saturation point) c_i . The rest of the preference information is disregarded as typical in several well-known solutions to this problem, such as the Uniform rule or the Proportional rule. For example, see Sprumont (1991) and the following literature.
- 5. **Demand Rationing**: A supplier is to allocate its *production E* among demanders in N. Each demander i demands c_i units of the commodity. The supply-chain management literature contains detailed analysis of this problem.³ For example, see Cachon

³We would like to thank Rakesh Vohra for bringing this application to our attention.

and Lariviere (1999) and the literature cited therein.

- 6. Bargaining with Quasilinear Preferences and Claims: An arbitrator is to allocate E units of a numeriare good among agents who have quasilinear preferences with respect to it. Each agent holds a claim c_i on what he should receive. For examples of bargaining problems with claims, see Chun and Thomson (1992) and the following literature. For bargaining problems with quasilinear preferences, see Moulin (1985) and the following literature.
- 7. Surplus Sharing: A social planner is to allocate the return E of a project among its investors in N. Each investor i has invested s_i . The project is profitable, that is, $\sum_{N} s_i \leq E$. Using the principal that no agent should receive less than his investment, define the maximal share of an agent i as $c_i = E \sum_{N \setminus \{i\}} s_j$. Note that $\sum_{N} c_i \geq E$. The surplus sharing problem can now be analyzed as a simple allocation problem. For more on surplus-sharing problems, see Moulin (1985 and 1987) and the following literature.
- 8. Consumer Choice under fixed prices and rationing: A consumer has to allocate his *income* E among a set N of commodities. The prices of the commodities are fixed and thus, do not change from one problem to another. (With appropriate choice of consumption units, normalize the price vector so that all commodities have the same price.) As typical in the fixed-price literature, the consumer also faces "rationing constraints" on how much he can consume of each commodity. Let c_i be the agent's consumption constraint on commodity i. See Benassy, 1993 or Kıbrıs and Küçükşenel, 2008, for more on rationing rules.

2 Model

Let $N = \{1, ..., n\}$ be the set of agents. For $i \in N$, let e_i be the i^{th} unit vector in \mathbb{R}^N_+ . Let $e = \sum_N e_i$. We use the vector inequalities \leqq , \leq , <. For $x, y \in \mathbb{R}^N_+$, let $x \vee y = (\max\{x_i, y_i\})_{i \in N}$. For each $E \in \mathbb{R}_+$, let $\Delta(E) = \{x \in \mathbb{R}^N_+ \mid \sum_N x_i = E\}$. For $c \in \mathbb{R}^N_+$, $\alpha \in \mathbb{R}_+$, and $S \subseteq N$, with an abuse of notation, we write $(c_S, \alpha_{N \setminus S})$ to denote the vector which coincides with c on S and which chooses α for every coordinate in $N \setminus S$. For each




Figure 1: A two-agent simple allocation problem.

 $A \subseteq \mathbb{R}^N_+$, let $comp\{A\} = \{x \in \mathbb{R}^N_+ \mid x \leq y \text{ for some } y \in A\}$ be the comprehensive hull of A. For each $x \in \mathbb{R}^N_+$ and $\varepsilon \in \mathbb{R}_{++}$, let $V_{\varepsilon}(x) = \{y \in \mathbb{R}^N_+ \mid |x - y| < \varepsilon\}$.

A simple allocation problem for N is a pair $(c, E) \in \mathbb{R}_+^N \times \mathbb{R}_+$ such that $\sum_N c_i \ge E$ (please see Figures 1 and 2). We call E the **endowment** and e the **characteristic vector**. As discussed in Subsection 1.1, depending on the application, E can be an asset or a liability and e can be a vector or incomes, claims, demands, preference peaks, or consumption constraints. Let e0 be the set of all simple allocation problems for e1. Given a simple allocation problem e2, let e3 be the **choice set of** e4.

An allocation **rule** $F: \mathcal{C} \to \mathbb{R}^N_+$ assigns each simple allocation problem (c, E) to an allocation $F(c, E) \in X(c, E)$ such that $\sum_N F_i(c, E) = E$. Note that each rule F satisfies $F(c, E) \leq c$. Depending on the application, this might be interpreted as satisfying the consumption constraints or as an efficiency requirement (as in the case of single-peaked preferences) or that no agent be taxed more than his income. Also, $\sum_N F_i(c, E) = E$ can be interpreted as an *efficiency* property or, as in taxation, a feasibility requirement or as in consumer choice, the Walras law.

The following are some well-known examples of rules. The **Proportional rule** allocates the endowment proportional to the characteristic values: for each $i \in N$, $PRO_i(c, E) =$




Figure 2: A three-agent simple allocation problem.

 $\frac{c_i}{\sum_N c_j} E$. In the taxation literature, this rule is called a $Linear\ Tax$. The Equal Gains rule allocates the endowment equally, subject to no agent receiving more than his characteristic value: for each $i \in N$, $EG_i(c, E) = \min\{c_i, \lambda\}$ where $\lambda \in \mathbb{R}_+$ satisfies $\sum_N \min\{c_i, \lambda\} = E$. In the single-peaked allocation literature, this rule is called the $Uniform\ rule$, in the bankruptcy literature it is called the $Constrained\ Equal\ Awards\ rule$, and in the taxation literature, it is called the $Leveling\ Tax$. The Equal Losses rule equalizes the losses agents incur, subject to no agent receiving a negative share: for each $i \in N$, $EL_i(c, E) = \max\{0, c_i - \lambda\}$ where $\lambda \in \mathbb{R}_+$ satisfies $\sum_N \max\{0, c_i - \lambda\} = E$. In the single-peaked allocation literature, this rule is called the $Equal\ Distance\ rule$, in the bankruptcy literature it is called the $Constrained\ Equal\ Losses\ rule$, and in the taxation literature, it is called the $Head\ Tax$. The Talmud\ rule (Aumann\ and\ Maschler,\ 1985) assigns equal\ gains\ until each\ agent\ receives\ half\ his\ characteristic\ value\ and\ then\ uses\ the\ equal\ losses\ idea:\ $TAL\ (c,E) = EG\ \left(\frac{1}{2}c,\min\{E,\frac{1}{2}\sum_N c_i\}\right) + EL\ \left(\frac{1}{2}c,\max\{0,E-\sum_N c_i\}\right)$.

For every rule F, we construct an induced **revealed preference relation**, $R^F \subseteq \mathbb{R}_+^N \times \mathbb{R}_+^N$, as follows: for each $x, y \in \mathbb{R}_+^N$, xR^Fy if and only if there is $(c, E) \in \mathcal{C}$ such that x = F(c, E) and $y \in X(c, E)$. (Note that x = F(c, E) implies $E = \sum_N x_i$.) Similarly, the **strict revealed preference relation** induced by F, P^F , is defined as xP^Fy if and only if xR^Fy and $x \neq y$. The **lower contour set** of $x \in \mathbb{R}_+^N$ with respect to R^F is $L(x, R^F) = R^F$

 $\{y \in \mathbb{R}^N_+ \mid xR^Fy\}.$

Remark 1 Note that R^F is reflexive (since for each $x \in \mathbb{R}^N_+$, $x = F(x, \sum_N x_i)$).⁴ Also, both R^F and P^F are strictly monotonic (since if $x \geq y$, then $x = F(x, \sum_N x_i)$ and $y \in X(x, \sum_N x_i)$). Also note that xR^Fy implies $\sum_N x_i \geq \sum_N y_i$.

A rule F is **rational** if there is a binary relation $B \subseteq \mathbb{R}^N_+ \times \mathbb{R}^N_+$ such that for each $(c, E) \in \mathcal{C}$, $F(c, E) = \{x \in X (c, E) \mid \text{ for each } y \in X (c, E), xBy\}$. Every rule F induces a revealed preference relation. But not every rule is rational. Consider rules that satisfy the following property. A rule F satisfies **WARP** (the weak axiom of revealed preferences) if P^F is asymmetric (equivalently if R^F is antisymmetric).

Remark 2 WARP can equivalently be stated as follows: for each pair $(c, E), (c', E) \in C$, $F(c, E) \in X(c', E)$ and $F(c, E) \neq F(c', E)$ implies $F(c', E) \notin X(c, E)$. In the statement, using the same endowment level in both problems is without loss of generality because otherwise, WARP is trivially satisfied. That is, by the previous remark, $\sum_{N} x_i < \sum_{N} y_i$ implies not xP^Fy .

It is well-known in the literature that *WARP* is a necessary and sufficient condition for rationality (Samuelson (1938, 1948) and Houthakker (1950)). The same relationship holds on our domain (the simple and standard proof is omitted).

Theorem A. A rule F satisfies WARP if and only if it is rational.

For most economic analysis, transitivity of the rationalizing preference relation is an important requirement.⁶ A rule F is **transitive-rational** if there is a transitive binary relation $B \subseteq \mathbb{R}^N_+ \times \mathbb{R}^N_+$ such that for each $(c, E) \in \mathcal{C}$, $F(c, E) = \{x \in X(c, E) \mid \text{ for each } y \in X(c, E), xR^Fy\}$.

The following property is necessary and sufficient for rationalizability by a transitive preference relation (see Richter, 1966; also see Ville, 1946; Houthakker, 1950; Sondermann, 1982; and Kim, 1987). A rule F satisfies **SARP** (the strong axiom of revealed preferences) if P^F is acyclic. The same relationship holds on our domain.

⁴A binary relation B on \mathbb{R}^N_+ is **reflexive** if for each $x \in \mathbb{R}^N_+$, xBx. It is **strictly monotonic** if for each $x, y \in \mathbb{R}^N_+$, $x \ge y$ implies xBy.

⁵A binary relation B on \mathbb{R}^N_+ is **asymmetric** if for each $x, y \in \mathbb{R}^N_+$, xBy implies not yBx. It is **antisymmetric** if for each $x, y \in \mathbb{R}^N_+$, xBy and yBx imply x = y.

⁶A binary relation B on a space X is **transitive** if for each $x, y, z \in X$, xBy and yBz imply xBz.

Theorem B. A rule F satisfies SARP if and only if it is transitive-rational.

A rule that satisfies SARP is rationalizable by the following transitive relation. Given the revealed preference relation R^F , its **transitive closure** \overline{R}^F is defined as follows: for each $x,y\in X,\, x\overline{R}^Fy$ if and only if there are $z^1,...,z^k\in\mathbb{R}^N_+$ such that $xR^Fz^1R^F...R^Fz^kR^Fy$. Let \overline{P}^F be the asymmetric part of \overline{R}^F , that is, $x\overline{P}^Fy$ if and only if $x\overline{R}^Fy$ and $x\neq y$. The **lower contour set** of $x\in\mathbb{R}^N_+$ with respect to \overline{R}^F is $L\left(x,\overline{R}^F\right)=\left\{y\in\mathbb{R}^N_+\mid x\overline{R}^Fy\right\}$.

A rule F is **representable** if there is a real-valued function $u: \mathbb{R}^N_+ \to \mathbb{R}$ such that for each $(c, E) \in \mathcal{C}$,

$$F(c, E) = \arg \max_{x \in X(c, E)} u(x).$$

Every representable rule is transitive-rational (i.e. satisfies SARP). But the converse is not true.

3 Rationality vs Contraction Independence

In this section, we analyze properties of *rational* rules. As discussed in the previous section, rationality is equivalent to the weak axiom of revealed preferences, *WARP*, which requires that the induced revealed preference relation be antisymmetric.

Next, we introduce a well-known property from revealed preference theory (as well as bargaining theory). A rule F satisfies **contraction independence** if a chosen alternative from a set is still chosen from subsets (contractions) that contain it: for each pair (c, E), $(c', E) \in \mathcal{C}$, $F(c, E) \in X(c', E) \subseteq X(c, E)$ implies F(c', E) = F(c, E). In the literature, this property is also referred to as independence of irrelevant alternatives (Nash, 1950) or Sen's property α (Sen, 1971).

Remark 3 Defining contraction independence on problem pairs with the same endowment E is without loss of generality. To see this, assume the problem pair $(c, E), (c', E') \in \mathcal{C}$ satisfies $F(c, E) \in X(c', E') \subseteq X(c, E)$. Then $F(c, E) \in X(c', E')$ implies $\sum_N F_i(c, E) = E \subseteq E'$. Furthermore, $X(c', E') \subseteq X(c, E)$ implies $E' \subseteq E$. Thus, E = E'.

Lemma 1 A rule F satisfies contraction independence if and only if for each (c, E), $(c', E) \in \mathcal{C}$ it satisfies the following properties

Property (i). if for each $i \in N$, $\min \{c_i, E\} = \min \{c'_i, E\}$, then F(c, E) = F(c', E), **Property** (ii). if $F(c, E) \leq c' \leq c$, then F(c', E) = F(c, E).

Proof. (\Rightarrow) Assume that F satisfies contraction independence. Let (c, E), $(c', E) \in \mathcal{C}$. First, assume that for each $i \in N$, min $\{c_i, E\} = \min\{c'_i, E\}$. Let $x \in \mathbb{R}^N_+$ satisfy $\sum_N x_i \leq E$. Then, $x \leq c$ if and only if $x \leq c'$. Thus X(c, E) = X(c', E). This implies F(c, E) = F(c', E). Next, assume that $F(c, E) \leq c' \leq c$. Then, $F(c, E) \in X(c', E) \subseteq X(c, E)$, which by contraction independence, implies F(c, E) = F(c', E).

(\Leftarrow) Assume that (i) and (ii) are satisfied. Let (c, E), $(c', E) \in \mathcal{C}$ be such that $F(c, E) \in X(c', E) \subseteq X(c, E)$. Then for each $i \in N$, either $c'_i \subseteq c_i$ or min $\{c'_i, E\} = \min\{c_i, E\}$. Let $S = \{i \in N \mid c'_i \subseteq c_i\}$. Let $c'' = (c'_S, c_{N \setminus S})$. Then $F(c, E) \subseteq c'' \subseteq c$ and by (ii), F(c, E) = F(c', E). Now, for each $i \in N$, min $\{c'_i, E\} = \min\{c''_i, E\}$. Thus, by (i), F(c'', E) = F(c', E). Altogether, we obtain F(c, E) = F(c', E). ■

Property (i) of Lemma 1 is called truncation-invariance for rules on bankruptcy and taxation problems (Thomson, 2003 and 2007). Property (ii) says that a decrease in characteristic values does not change the initially chosen allocation as long as it remains feasible.

Contraction independent rules all satisfy the following standard property. A rule F satisfies **own-c monotonicity** if an increase in an agent's characteristic value does not decrease his share: for each (c, E), $(c', E) \in C$ and $i \in N$ such that $c_i < c'_i$ and $c_{N\setminus i} = c'_{N\setminus i}$, we have $F_i(c, E) \leq F_i(c', E)$.

Lemma 2 If a rule F satisfies contraction independence, then it satisfies own-c monotonicity.

Proof. Let $(c, E), (c', E) \in C$ and $i \in N$ be such that $c_i < c'_i$ and $c_{N\setminus i} = c'_{N\setminus i}$. Suppose $F_i(c, E) > F_i(c', E)$. Then since $F(c', E) \le c \le c'$, contraction independence implies F(c, E) = F(c', E), a contradiction.

Contraction independent rules satisfy another very useful property: if xR^Fy , it is possible to identify a set of problems for which x is the solution.

Lemma 3 Assume that F satisfies contraction independence. If xR^Fy and $x \leq c \leq x \vee y$, then, $x = F(c, \sum_N x_i)$. Particularly, $x = F(x \vee y, \sum_N x_i)$.

Proof. If x = y, the statement trivially holds. If $x \neq y$, since xP^Fy , x = F(c', E) for some $(c', E) \in \mathcal{C}$ such that $y \in X(c', E)$. Then $E = \sum_N x_i$. Note that $x \leq c'$ and $y \leq c'$. Thus, $x \vee y \leq c'$. Then applying *contraction independence* gives the desired result.

It is interesting to relate $Lemma\ 3$ to the concept of an "inverse set" (status-quo set) in bargaining theory, introduced by Peters (1986) and further analyzed by Peters and Van Damme (1991). The inverse set of a bargaining rule F at a feasible set S and an allocation x is the set of disagreement vectors that produce x. Similarly define the inverse set of a simple allocation rule F at a social endowment level E and an allocation x as the set of c vectors that produce x. Then $Lemma\ 3$ states that the inverse set of every allocation x is comprehensive down to x.

The main result of this section is as follows.

Theorem 1 A rule F satisfies contraction independence if and only if it satisfies WARP.

Proof. (\Leftarrow) Assume that F satisfies WARP. Let $(c, E), (c', E) \in \mathcal{C}$ be such that $F(c, E) \in X(c', E) \subseteq X(c, E)$. Suppose $F(c, E) \neq F(c', E)$. Then by WARP (Remark 2), $F(c', E) \notin X(c, E)$. This contradicts $X(c', E) \subseteq X(c, E)$.

(⇒) Suppose F violates WARP. Then by $Remark\ 2$, there is a pair (c, E), $(c', E) \in \mathcal{C}$ such that $F(c, E) \in X(c', E)$, $F(c', E) \in X(c, E)$, and $F(c, E) \neq F(c', E)$. For each $i \in N$, let $c''_i = \min\{c_i, c'_i\}$. Since $F(c, E) \leq c$ and $F(c, E) \leq c'$, we have $F(c, E) \leq c''$. Thus, $\sum_N F_i(c, E) = E \leq \sum_N c''_i$. That is, $(c'', E) \in \mathcal{C}$. Since $F(c, E) \leq c'' \leq c$, by contraction independence and Lemma 1, F(c, E) = F(c'', E). Similarly $F(c', E) \leq c'' \leq c'$, by contraction independence implies F(c', E) = F(c'', E), contradicting $F(c, E) \neq F(c', E)$. ■

Theorem 1 and Lemma 1 together provide us with a simple way of checking whether a rule satisfies WARP. Using them, we show that the Proportional rule, the Equal Losses rule, and the Talmud rule all violate WARP and thus are not rational. The following example demonstrates this point.

Example 1 The Proportional rule, Equal Losses rule, and the Talmud rule all violate contraction independence. Let $N = \{1,2\}$, c = (10,1), $c' = \left(10,\frac{10}{11}\right)$, and E = 10. We show that, for this example, all three rules violate Property (ii) of Lemma 1. Indeed PRO $(c,E) = \left(\frac{100}{11},\frac{10}{11}\right) \le c' \le c$, $EL(c,E) = \left(9\frac{1}{2},\frac{1}{2}\right) \le c' \le c$, and $TAL(c,E) = \left(9\frac{1}{2},\frac{1}{2}\right) \le c' \le c$. However, $PRO(c',E) = \left(\frac{110}{12},\frac{10}{12}\right) \ne PRO(c,E)$, $EL(c',E) = \left(9\frac{6}{11},\frac{5}{11}\right) \ne EL(c,E)$, and $TAL(c',E) = \left(9\frac{6}{11},\frac{5}{11}\right) \ne TAL(c,E)$. It is trivial to construct another example where all three rules violate Property (i) of Lemma 1. Finally note that the Equal Gains rule satisfies Property (ii) for this example: EG(c,E) = (9,1) and since $1 > c'_2$ the property has no bite.

The Equal Gains rule, on the other hand, satisfies *WARP*. Because, by contrast to the other three rules, it operates on a principle (equal division) that is independent of the agents' characteristic values; it only treats them as constraints in the application of this principle.

4 Transitive-Rationality: Two Agents

In this and the following section, we analyze properties of transitive-rational rules. As discussed in the previous section, transitive-rationality is equivalent to the strong axiom of revealed preferences, SARP, which requires that the induced revealed strict preference relation be acyclic.

The main result of this section is that, for two agents, contraction independence is a necessary and sufficient condition for SARP (i.e. transitive-rationality). We use an auxiliary result to prove this theorem. It states that for two agents and for allocations on the same "budget hyperplane", contraction independence implies transitivity of the revealed preference relation, a property stronger than acyclicity.

Proposition 4 Let n=2. Assume F satisfies contraction independence. Let $x,y,z\in\mathbb{R}^N_+$ be such that $\sum_N x_i = \sum_N y_i = \sum_N z_i = E$. If xP^Fy and yP^Fz , then xP^Fz .

Proof. Note that, $x \neq y$, $y \neq z$, and since by *Theorem 1*, P^F is asymmetric, $x \neq z$. Without loss of generality assume $x_1 < y_1$.

Note that, xP^Fy , by Lemma 3 implies $x = F(x \vee y, E)$. Similarly, yP^Fz , by Lemma 3 implies $y = F(y \vee z, E)$.

Case 1: $z_1 < x_1$. Since $z_1 < x_1 < y_1$, $x \lor y \le y \lor z$. Thus by contraction independence and $y = F(y \lor z, E)$, we have $y = F(x \lor y, E)$. This contradicts $x = F(x \lor y, E)$.

Case 2: $x_1 < z_1 < y_1$. Then, $x = F(x \lor y, E)$ and $x \le x \lor z \le x \lor y$, by contraction independence implies $x = F(x \lor z, E)$. Thus, xP^Fz .

Case 3: $y_1 < z_1$. First suppose $F(x \lor z, E) \in (y, z]$. Then, $F(x \lor z, E) \leqq y \lor z$, by contraction independence implies, $F(x \lor z, E) = F(y \lor z, E)$, contradicting $y = F(y \lor z, E)$. Thus, $F(x \lor z, E) \not\in (y, z]$. Next, suppose $F(x \lor z, E) \in (x, y]$. Then, $F(x \lor z, E) \leqq x \lor y$, by contraction independence implies $F(x \lor z, E) = F(x \lor y, E)$, contradicting $x = F(x \lor y, E)$. Thus $F(x \lor z, E) \not\in (x, y]$. Combining these two observations, we conclude that $x = F(x \lor z, E)$. Thus, xP^Fz .

Remark 4 Transitivity does not necessarily hold when x, y, and z violate $\sum_{N} x_i = \sum_{N} y_i = \sum_{N} z_i$. For example, let F = EG. This rule satisfies contraction independence. Let x = (6,10), y = (6,4), z = (9,1). Then, xP^FyP^Fz . However, we do not have xP^Fz since the Equal Gains rule always chooses equal division from a set that contains both x and z.

We now present the main result of this section.

Theorem 2 Let n = 2. A rule F satisfies contraction independence if and only if it satisfies SARP.

Proof. First note that SARP implies WARP which in turn implies contraction independence. For the converse, assume the F satisfies contraction independence and violates SARP. Then, there are $x^1, ..., x^k \in \mathbb{R}^N_+$ such that for each $l \in \{1, ..., k-1\}$, $x^l P^F x^{l+1}$, and $x^k P^F x^1$. Then, $\sum_{i \in N} x_i^1 \geq ... \geq \sum_{i \in N} x_i^k \geq \sum_{i \in N} x_i^1$ implies $\sum_{i \in N} x_i^1 = ... = \sum_{i \in N} x_i^k$. Then, contraction independence, by Proposition 4, implies $x^1 P^F x^1$, contradicting the definition of P^F .

5 Transitive-Rationality: n Agents

The main purpose of this section is to identify, for an arbitrary number of agents, conditions under which a rule is transitive-rational (that is, satisfies SARP). The following example demonstrates that with more than two agents, $Theorem\ 2$ of the previous section fails. A rule F that satisfies $contraction\ independence$ can allow cycles of length three or more. Similar examples exist for both consumer theory (Gale, 1960; Shafer, 1977; Peters and Wakker, 1994) and bargaining theory (Peters and Wakker, 1991).

Example 2 A rule that satisfies contraction independence but violates SARP (please see Figure 3). Let $N = \{1, 2, 3\}$. Let

$$F(c,E) = \begin{cases} \left(\frac{E}{3}, \frac{E}{3}, \frac{E}{3}\right) & if & \left(\frac{E}{3}, \frac{E}{3}, \frac{E}{3}\right) \leq c \\ (c_1, c_1, E - 2c_1) & else \ if \quad c_1 < \frac{E}{3} \ and \ (c_1, c_1, E - 2c_1) \leq c \\ (E - 2c_2, c_2, c_2) & else \ if \quad c_2 < \frac{E}{3} \ and \ (E - 2c_2, c_2, c_2) \leq c \\ (c_3, E - 2c_3, c_3) & else \ if \quad c_3 < \frac{E}{3} \ and \ (c_3, E - 2c_3, c_3) \leq c \\ (c_1, c_2, E - c_1 - c_2) & else \ if \quad E - c_1 - c_2 > c_2 \ and \ c_1 > c_2 \\ (c_1, E - c_1 - c_3, c_3) & else \ if \quad E - c_1 - c_3 > c_1 \ and \ c_3 > c_1 \\ (E - c_2 - c_3, c_2, c_3) & else \ if \quad E - c_2 - c_3 > c_3 \ and \ c_2 > c_3. \end{cases}$$




Figure 3: A three-agent rule that satisfies contraction independence but violates SARP. For $E=9,\ x=F\left(1,9,9,E\right),\ y=F\left(9,1,9,E\right),\ z=F\left(9,9,1,E\right)$.

We will next construct a cycle. Let E = 9, $c^1 = (1,9,9)$, $c^2 = (9,1,9)$, $c^3 = (9,9,1)$, x = (1,1,7), y = (7,1,1), and z = (1,7,1). Then $F(c^1,E) = x$, $F(c^2,E) = y$, and $F(c^3,E) = z$. Noting that $x \le c^2$, $y \le c^3$, and $z \le c^1$, we obtain a violation of SARP due to $xP^FzP^FyP^Fx$.

Remark 5 The rule presented in the example is continuous. In Peters and Wakker (1991), continuity prevents cycles of size three (though not bigger cycles). This is not the case in our framework.

The rule constructed in *Example 2* violates a weak property that is satisfied by most solutions to simple allocation problems. A rule F is **other-c monotonic** if a change in agent i's characteristic value affects any other two agents in the same way: for each $(c, E) \in \mathcal{C}$, each $i \in N$, each $c'_i \in \mathbb{R}_+$ such that $(c'_i, c_{-i}, E) \in \mathcal{C}$, and each $j, k \in N \setminus \{i\}$, $F_j(c, E) > F_j(c'_i, c_{-i}, E)$ implies $F_k(c, E) \geq F_k(c'_i, c_{-i}, E)$.

It turns out that *contraction independent* rules that are *other-c monotonic* induce a revealed preference relation that is *transitive* on a fixed endowment level.

Proposition 5 Assume that F satisfies contraction independence and other-c monotonicity. Let $x, y, z \in \mathbb{R}^N_+$ be such that $\sum_N x_i = \sum_N y_i = \sum_N z_i = E$. If xP^Fy and yP^Fz , then xP^Fz .

Proof. Note that, $x \neq y$, $y \neq z$, and since by *Theorem 1*, P^F is asymmetric, $x \neq z$. By Lemma 3, $x = F(x \vee y, E)$ and $y = F(y \vee z, E)$. We claim $x = F(x \vee y \vee z, E)$. This, by contraction independence implies $x = F(x \vee z, E)$, the desired conclusion. Contrary to the claim, suppose $w = F(x \vee y \vee z, E) \neq x$.

If $w \leq x \vee y$, by contraction independence, $w = F(x \vee y, E)$, contradicting $w \neq x$. Thus, the set $S_x = \{i \in N \mid \max\{x_i, y_i\} < w_i\}$ is nonempty.

If $w \leq y \vee z$, by contraction independence, $w = F(y \vee z, E) = y$, contradicting $w \not\leq x \vee y$. Thus, the set $S_y = \{i \in N \mid \max\{y_i, z_i\} < w_i\}$ is nonempty.

If there is $i \in S_x \cap S_y$, $\max\{x_i, y_i, z_i\} < w_i$ contradicts $w \leq x \vee y \vee z$. So $S_x \cap S_y = \emptyset$.

Let $c = (w_{S_y}, 0_{N \setminus S_y})$. Then $w \leq y \vee z \vee c$, by contraction independence implies $w = F(y \vee z \vee c, E)$. Since $y = F(y \vee z, E)$, Lemma 2 and other-c monotonicity implies that for each $j \notin S_y$, $y_j \geq w_j$.

Now let $j \in S_x$. Then by definition, $\max\{x_j, y_j\} < w_j$. Since $j \notin S_y$ however, by the previous paragraph, $y_j \ge w_j$, a contradiction.

We now use this proposition to prove the main result of this section.

Theorem 3 If a rule F satisfies contraction independence and other-c monotonicity, then it satisfies SARP.

Proof. Assume the F satisfies contraction independence, other-c monotonicity and violates SARP. Then, there are $x^1, ..., x^k \in \mathbb{R}^N_+$ such that for each $l \in \{1, ..., k-1\}$, $x^l P^F x^{l+1}$ and $x^k P^F x^1$. Then, $\sum_{i \in N} x_i^1 \geq ... \geq \sum_{i \in N} x_i^k \geq \sum_{i \in N} x_i^1$ implies $\sum_{i \in N} x_i^1 = ... = \sum_{i \in N} x_i^k$. Then contraction independence and other-c monotonicity, by Proposition 5, imply $x^1 P^F x^1$, contradicting the definition of P^F .

The following example demonstrates that the converse of *Theorem 3* is not true: while SARP implies WARP, it does not imply other-c monotonicity.

⁷To see this, let $i \in S_y$. As c_i decreases from w_i to max $\{y_i, z_i\}$, by Lemma 2, i's share does not increase. By feasibility and other-claim monotonicity, the share of every $j \neq i$ does not decrease. Repeating this argument for each $i \in S_y$, we conclude that the share of a $j \notin S_y$ does not decrease, that is, $y_j \geq w_j$.

Example 3 A rule that satisfies SARP but violates other-c monotonicity. Let $N = \{1, 2, 3\}$. Let

$$F\left(c,E\right) = \begin{cases} \left(\frac{E}{3}, \frac{E}{3}, \frac{E}{3}\right) & if & \left(\frac{E}{3}, \frac{E}{3}, \frac{E}{3}\right) \leq c \\ \left(c_{1}, c_{1}, E - 2c_{1}\right) & else \ if & c_{1} < \frac{E}{3} \ and \ \left(c_{1}, c_{1}, E - 2c_{1}\right) \leq c \\ \left(\frac{E - c_{2}}{2}, c_{2}, \frac{E - c_{2}}{2}\right) & else \ if & c_{2} < \frac{E}{3} \ and \ \left(\frac{E - c_{2}}{2}, c_{2}, \frac{E - c_{2}}{2}\right) \leq c \\ \left(\frac{E - c_{3}}{2}, \frac{E - c_{3}}{2}, c_{3}\right) & else \ if & c_{3} < \frac{E}{3} \ and \ \left(\frac{E - c_{3}}{2}, \frac{E - c_{3}}{2}, c_{3}\right) \leq c \\ \left(c_{1}, c_{2}, E - c_{1} - c_{2}\right) & else \ if & E - c_{1} - c_{2} > c_{1} \ and \ c_{1} > c_{2} \\ \left(E - c_{2} - c_{3}, c_{2}, c_{3}\right) & else \ if & E - c_{2} - c_{3} > c_{3} \ and \ E - c_{2} - c_{3} > c_{2} \\ \left(c_{1}, E - c_{1} - c_{3}, c_{3}\right) & else \ if & E - c_{1} - c_{3} > c_{1}. \end{cases}$$

To see that F violates other-c monotonicity, note that $F(E,E,E,E) = \left(\frac{E}{3},\frac{E}{3},\frac{E}{3}\right)$ and $F\left(\frac{E}{4},E,E,E\right) = \left(\frac{E}{4},\frac{E}{4},\frac{E}{2}\right)$. F satisfies SARP because a problem from which $\left(\frac{E-c_2}{2},c_2,\frac{E-c_2}{2}\right)$ is chosen never contains a point of type $\left(\frac{E-c_3}{2},\frac{E-c_3}{2},c_3\right)$ and thus, it is not possible to construct a cycle.

6 Representability

The main purpose of this section is to identify conditions under which a rule F is representable by a numerical function. The main result of this section, Theorem 4 states that every contraction independent and other-c monotonic rule that is also continuous is representable by a numerical function.

The best-known method of constructing such a numerical representation is finding, if possible, a countable set $A \subseteq \mathbb{R}^N_+$ which is $\overline{\mathbf{P}}^{\mathbf{F}}$ -dense: for each $x,y \in \mathbb{R}^N_+ \setminus A$, if $x\overline{P}^F y$, then there is $a \in A$ such that $x\overline{P}^F a\overline{P}^F y$. Following Debreu (1954), Peters and Wakker (1991), Richter (1966), and Sondermann (1982) construct such sets to prove representability of choice rules. The following result demonstrates that in simple allocation problems, no such set A can be constructed.

Proposition 6 Let F be an arbitrary rule. Then, there is no countable set $A \subseteq \mathbb{R}^N_+$ which is \overline{P}^F -dense.

Proof. Let A be a \overline{P}^F -dense set. For each $E \in \mathbb{R}_+$, let $x^E = F(E_N, E)$ and let $y^E \in \Delta(E) \setminus \{x^E\}$. Then, $x^E \overline{P}^F y^E$ and thus, there is $a^E \in A$ such that $x^E \overline{P}^F a^E \overline{P}^F y^E$. By

Remark 1, $\sum x_i^E \ge \sum a_i^E \ge \sum y_i^E$. Thus, $\sum a_i^E = E$. So for $E' \ne E$, $a^{E'} \ne a^E$. Since there is uncountably many E, the set A is then also uncountable.

For complete binary relations, existence of a countable order-dense set is both necessary and sufficient for representability. However, since \overline{P}^F is possibly incomplete, this is only a sufficient condition. So, *Proposition 6* only means that we will have to pursue a different path than Debreu (1954) and the following papers.

For each rule F, we define the associated function $u^F : \mathbb{R}^N_+ \to \mathbb{R}$ so that the numerical value of an alternative $x \in \mathbb{R}^N_+$ is the Lebesque measure, μ , of an extension of its lower-contour set (please see *Figure 4*):

$$u^{F}(x) = \mu\left(comp\left\{L\left(x, \overline{R}^{F}\right) + \{e\}\right\}\right).$$

That is, to obtain the value of an alternative x, we move up $L\left(x,\overline{R}^F\right)$ (its lower contour set with respect to the transitive \overline{R}^F) by the unit vector e and then calculate the Lebesque measure of the comprehensive hull of this set. This operation (of moving up by e and taking the comprehensive hull) guarantees that for every $x \in \mathbb{R}^N_+$ (particularly, those vectors at the boundary of \mathbb{R}^N_+), $comp\left\{L\left(x,\overline{R}^F\right)+\{e\}\right\}$ is a set of positive measure.

Also note that, replacing $L\left(x,R^{F}\right)$ with $L\left(x,\overline{R}^{F}\right)$ in the above representation does not work. For example if F is the Equal Gains rule, x=(11,10) and y=(10,10), $\mu\left(comp\left\{L\left(x,R^{F}\right)+\left\{e\right\}\right\}\right)=192<\mu\left(comp\left\{L\left(y,R^{F}\right)+\left\{e\right\}\right\}\right)=241$ even though $xP^{F}y$.

A rule F is **c-continuous** if for each $E \in \mathbb{R}_+$, F(.,E) is a continuous function. It is **E-continuous** if for each $c \in \mathbb{R}_+^N$, F(c,.) is a continuous function. Finally, a rule F is **continuous** if it is both *c-continuous* and *E-continuous*. The following example demonstrates that our construction does not work for rules that violate either continuity property.

Example 4 (A discontinuous rule that is not representable by u^F) Let $N = \{1, 2\}$. Let F be defined as

$$F(c, E) = \begin{cases} EG(c, E) & if & E < 2, \\ (\min\{c_1, E\}, E - \min\{c_1, E\}) & if & 2 \le E < 3, \\ (E, 0) & if & 3 \le E, c_1 \ge E, \\ EG(c, E) & if & 3 \le E, c_1 < E. \end{cases}$$




Figure 4: The sets $L\left(x,R^{F}\right)$ (the red-shaded trapezoid), $L\left(x,\overline{R}^{F}\right)$ (the trapezoid plus the blue-shaded triangle), and $comp\left\{L\left(x,\overline{R}^{F}\right)+\left\{e\right\}\right\}$ (the trapezoid and the triangle plus the green-shaded rectangular area).

Now let x = (2,0), y = (1,1), z = (4,0), and w = (2,2). Since x = F(2,2,2), $x\overline{P}^Fy$. However, since F violates E-continuity at E = 2, $u^F(x) = 2 = u^F(y)$. Similarly, since z = F(4,4,4), $z\overline{P}^Fw$. However, since F violates E-continuity at E is E in
The main result of this section, *Theorem 4*, shows that any *contraction independent*, *other-c monotonic*, and *continuous* rule is *representable* by a numerical function of the above form. To prove it, we use a series of lemmas presented next.

The following lemma shows that the set of characteristic vectors that deliver the same alternative have a lattice structure.

Lemma 7 Let F be contraction independent and other-c monotonic. If F(c, E) = F(c', E) = x, then $F(c \lor c', E) = x$.

Proof. Suppose $F(c \lor c', E) = y \neq x$. Let $S = \{i \in N \mid y_i > c_i\}$ and $S' = \{i \in N \mid y_i > c_i\}$. If $S = \emptyset$, then $y \leq c$ and, by contraction independence, F(c, E) = y, a contradiction. Thus $S \neq \emptyset$. Similarly, $S' \neq \emptyset$. Also, $y \in X(c \lor c', E)$ implies $S \cap S' = \emptyset$. Now, let $c'' = (y_S, 0_{N \setminus S})$

and note that, by contraction independence, $y = F(c \vee c'', E)$. Since x = F(c, E), by Lemma 2 and other-c monotonicity, for each $i \notin S$, $x_i \geq y_i$. Now let $j \in S'$. Then, $x_j \leq c'_j < y_i$. Since $j \notin S$, also $x_j \geq y_j$, a contradiction.

The following lemma shows that *other-c monotonic* and *c-continuous* rules choose boundary allocations under certain contractions of the feasible set.

Lemma 8 Assume that F is contraction independent and c-continuous. Then, for each $(c, E) \in \mathcal{C}$, $i \in \mathbb{N}$, and $\delta \in \mathbb{R}_+$, $F_i(c + \delta e_i, E) > c_i$ implies $F_i(c, E) = c_i$.

Proof. Let $(c, E) \in \mathcal{C}$, $i \in N$, and $\delta \in \mathbb{R}_+$ satisfy $F_i(c + \delta e_i, E) > c_i$. Suppose $F_i(c, E) < c_i$. Then by *c-continuity*, there is $\varepsilon < \delta$ such that $F_i(c + \varepsilon e_i, E) = c_i$. But then, $F(c + \varepsilon e_i, E) \le c \le c + \varepsilon e_i$, by *contraction independence*, implies $F(c, E) = F(c + \varepsilon e_i, E)$, a contradiction.

The following lemma uses the previous to establish an even stronger boundary condition for *other-c monotonic* rules.

Lemma 9 Assume that F satisfies contraction independence, c-continuity, and other-c monotonicity. Let $(c, E) \in \mathcal{C}$ and $x \in \Delta(E)$ be such that $x \leq c$, there is $i \in N$ such that $x_i < F_i(c, E)$, and there is $c^* \leq c$ such that $(c^*, E) \in \mathcal{C}$ and $x = F(c^*, E)$. Then $x_i = c_i^*$.

Proof. Let $F\left(c_i^*, c_{N\backslash i}^*, E\right) = x$. Let $j \in N \setminus \{i\}$. Since, $c_j^* \leq c_j$, by Lemma 2, we have $x_j \leq F_j\left(c_i^*, c_j, c_{N\backslash ij}^*, E\right)$. By other-c monotonicity then, $x_i \geq F_i\left(c_i^*, c_j, c_{N\backslash ij}^*, E\right)$. Replacing each c_j^* with c_j , we conclude

$$c_i^* \ge x_i \ge F_i\left(c_i^*, c_{N\setminus i}, E\right)$$
.

Since $x_i < F_i(c, E)$, we have $F\left(c_i^*, c_{N\setminus i}, E\right) \neq F\left(c, E\right)$. If $F_i(c, E) \leq c_i^*$, contraction independence implies $F\left(c_i^*, c_{N\setminus i}, E\right) \neq F\left(c, E\right)$, a contradiction. Thus, $F_i(c, E) > c_i^*$. Then contraction independence and c-continuity, by Lemma 8, imply $F_i\left(c_i^*, c_{N\setminus i}, E\right) = c_i^*$. Thus, $x_i = c_i^*$.

The following lemma shows that the lower contour set of each alternative x is equal to the feasible set of a particular problem where each c_i is either x_i or $\sum_N x_i$.

Lemma 10 Let F be contraction independent, other-c monotonic, and continuous. Then for each $x \in \mathbb{R}^N_+$, there is $c^x \in \mathbb{R}^N_+$ such that $L\left(x, R^F\right) = X\left(c^x, \sum_N x_i\right)$. Furthermore, if there is $i \in N$ such that $c^x_i < \sum_N x_i$, then $c^x_i = x_i$.

Proof. Let $x \in \mathbb{R}^N_+$ and let $\overline{E} = \sum_N x_i$.

Step 1: There is $c^x \in \mathbb{R}^N_+$ such that $L\left(x, R^F\right) = X\left(c^x, \overline{E}\right)$.

Let $C^x = \{c \in \mathbb{R}^N_+ \mid \sum_N c_i \ge \overline{E}, \ c \le \overline{E}_N, \ F\left(c, \overline{E}\right) = x\}$. By continuity of F, C^x is compact. Let

$$c^x \in \arg\max_{c \in C^x} \sum_{N} c_i.$$

By continuity of $\sum_{i} c_i$ and compactness of C^x , such c^x exists. By Lemma 7, c^x is unique.

We claim that for each $c \in C^x$, $X\left(c, \overline{E}\right) \subseteq X\left(c^x, \overline{E}\right)$, that is, $c \subseteq c^x$. To see this, suppose there is $c \in C^x$ such that $c \not\subseteq c^x$. Let $c' = c \lor c^x$ and note that $c' \ge c^x$. By Lemma 7, $c' \in C^x$. But then $\sum_N c'_i > \sum_N c^x_i$, a contradiction.

Now let $(c, \overline{E}) \in \mathcal{C}$ such that $F(c, \overline{E}) = x$. We claim, $X(c, \overline{E}) \subseteq X(c^x, \overline{E})$. If $c \subseteq \overline{E}_N$, by the previous paragraph, $X(c, \overline{E}) \subseteq X(c^x, \overline{E})$. If $c \not\subseteq \overline{E}_N$, the set $S = \{i \in N \mid c_i > \overline{E}\}$ is nonempty. Let $c' = (\overline{E}_S, c_{N \setminus S})$ and note that, since $c' \in C^x$, $X(c', \overline{E}) \subseteq X(c^x, \overline{E})$. Since $X(c, \overline{E}) = X(c', \overline{E})$, we also have $X(c, \overline{E}) \subseteq X(c^x, \overline{E})$.

Since $c^x \in C^x$, $X\left(c^x, \overline{E}\right) \subseteq L\left(x, R^F\right)$. Conversely, let $y \in L\left(x, R^F\right)$. Then there is $\left(c, \overline{E}\right) \in \mathcal{C}$ such that $F\left(c, \overline{E}\right) = x$ and $y \in X\left(c, \overline{E}\right)$. By the previous paragraph, $X\left(c, \overline{E}\right) \subseteq X\left(c^x, \overline{E}\right)$. Thus, $y \in X\left(c^x, \overline{E}\right)$. These two set inclusions give the desired result.

Step 2: If there is $i \in N$ such that $c_i^x < \overline{E}$, then $c_i^x = x_i$.

If there is $i \in N$ such that $c_i^x < \overline{E}$, $F\left(\overline{E}_i, c_{N \setminus i}^x, \overline{E}\right) \neq x$. (Otherwise, $\left(\overline{E}_i, c_{N \setminus i}^x\right) \in C^x$ and $\left(\overline{E}_i, c_{N \setminus i}^x\right) \geq c^x$, a contradiction.) By contraction independence, $F_i\left(\overline{E}_i, c_{N \setminus i}^x, \overline{E}\right) > c_i^x$. Thus $x_i < F_i\left(\overline{E}_i, c_{N \setminus i}^x, \overline{E}\right)$. This, by Lemma 9, implies $x_i = c_i^x$.

The following lemma establishes that in a neighborhood of x, $L\left(x,R^{F}\right)$ and $L\left(x,\overline{R}^{F}\right)$ coincide.

Lemma 11 Let F be contraction independent, other-c monotonic, and continuous. Then for each $x \in \mathbb{R}^N_+$, there is $\delta \in \mathbb{R}_{++}$ such that if $E \in (\sum_N x_i - \delta, \sum_N x_i]$ and $y \in L(x, R^F) \cap \Delta(E)$, then $L(y, R^F) \subseteq L(x, R^F)$.

Proof. Let F satisfy the given properties. Let $x \in \mathbb{R}^N_+$ and let $\overline{E} = \sum_N x_i$. By Lemma 10, there is $S \subseteq N$ such that for $c^x = (x_S, \overline{E}_{N \setminus S})$, $L(x, R^F) = X(c^x, \overline{E})$.

If $S = \emptyset$, the statement holds for all δ . To see this, first note that then, $L(x, R^F) = X(\overline{E}_N, \overline{E})$. Let $y \in L(x, R^F)$. By Lemma 10, there is $c^y \in [0, \overline{E}]^N$ such that $L(y, R^F) = X(c^y, \sum_N y_i)$. But $c^y \subseteq \overline{E}_N$ and $\sum_N y_i \subseteq \overline{E}$. Thus, $L(y, R^F) \subseteq L(x, R^F)$.

Alternatively assume $S \neq \emptyset$.

Step 1: If $T \subseteq N$ is such that $T \not\supseteq S$, then $x \neq F\left(x_T, \overline{E}_{N \setminus T}, \overline{E}\right)$. To see this, suppose otherwise. Let $c = \left(x_T, \overline{E}_{N \setminus T}\right)$ and note that $c \vee c^x \geq c^x$. By Lemma 7, $x = F\left(c \vee c^x, \overline{E}\right)$. But then, $L\left(x, R^F\right) \supseteq X\left(c \vee c^x, \overline{E}\right) \supset X\left(c^x, \overline{E}\right)$, a contradiction.

Step 2: If $T \subseteq N$ is such that $T \not\supseteq S$, then $F\left(x_T, \overline{E}_{N \setminus T}, \overline{E}\right) \not\in X\left(c^x, \overline{E}\right)$. To see this, suppose otherwise. Note that $x \in X\left(x_T, \overline{E}_{N \setminus T}, \overline{E}\right)$. Thus, by contraction independence (which by *Theorem 1*, is equivalent to WARP) and by $Remark\ 2$, $F\left(x_T, \overline{E}_{N \setminus T}, \overline{E}\right) = x$, contradicting Step 1.

Step 3: Defining ε and δ . Let

$$\varepsilon = \frac{1}{2} \min \left\{ \left| x - F\left(x_T, \overline{E}_{N \setminus T}, \overline{E}\right) \right| \mid T \subseteq N \text{ such that } T \not\supseteq S \right\}.$$

By Step 1, $\varepsilon > 0$. Now let $T \subseteq N$ be such that $T \not\supseteq S$. By continuity of F, there is a real number $\delta_T > 0$ such that $E \in (\overline{E} - \delta_T, \overline{E}]$ implies $F(x_T, E_{N \setminus T}, E) \in V_{\varepsilon}(F(x_T, \overline{E}_{N \setminus T}, \overline{E}))$. Let $\delta = \min \{\delta_T \mid T \subseteq N \text{ such that } T \not\supseteq S\}$.

Step 4: If $E \in (\overline{E} - \delta, \overline{E}]$ and $T \subseteq N$ is such that $T \not\supseteq S$, then $F(x_T, E_{N \setminus T}, E) \not\in X(c^x, \overline{E})$. By Step 3, $F(x_T, E_{N \setminus T}, E) \in V_{\varepsilon}(F(x_T, \overline{E}_{N \setminus T}, \overline{E}))$. Noting that, by definition of ε , $V_{\varepsilon}(F(x_T, \overline{E}_{N \setminus T}, \overline{E})) \cap X(c^x, \overline{E}) = \emptyset$, we have the desired conclusion.

Step 5: If $E \in (\overline{E} - \delta, \overline{E}]$, $y \in X(c^x, \overline{E}) \cap \Delta(E)$, and $T \subseteq N$ is such that $T \not\supseteq S$, then $F(y_T, E_{N \setminus T}, E) \neq y$. To see this, first note that, by Step 4, $F(x_{T \cap S}, E_{N \setminus (T \cap S)}, E) \not\in X(c^x, \overline{E})$. (Note that $T \cap S = \emptyset$ or $T \cap S = T$ are both possible.) Thus, there is $i \in S \setminus T$ such that $F_i(x_{T \cap S}, E_{N \setminus (T \cap S)}, E) > x_i$. Since $x_{T \cap S} \supseteq y_{T \cap S}$ and $i \not\in T$, by Lemma 2 and other-c monotonicity, $F_i(y_T, E_{N \setminus T}, E) \supseteq F_i(x_{T \cap S}, E_{N \setminus (T \cap S)}, E)$. Since $y \in X(c^x, \overline{E})$ and $i \in S$, $y_i \subseteq x_i$. Together, $F_i(y_T, E_{N \setminus T}, E) > y_i$. Thus, $F(y_T, E_{N \setminus T}, E) \neq y$.

Step 6: If $E \in (\overline{E} - \delta, \overline{E}]$ and $y \in X(c^x, \overline{E}) \cap \Delta(E)$, then $L(y, R^F) \subseteq L(x, R^F)$. To see this, first note that, by Lemma 10, there is $T \subseteq N$ such that for $c^y = (y_T, E_{N \setminus T})$, we have $L(y, R^F) = X(c^y, E)$. By Step 5, $T \not\supseteq S$ implies $F(c^y, E) \neq y$. Thus, $T \supseteq S$. Then, $c^y \subseteq c^x$ and $E \subseteq \overline{E}$ implies $X(c^y, E) \subseteq X(c^x, \overline{E})$. That is, $L(y, R^F) \subseteq L(x, R^F)$.

We next present the main result of this section.

Theorem 4 If a rule F is contraction independent, other-c monotonic, and continuous, then it is representable by a function u^F .

Proof. Let F satisfy the given properties. First assume that for each $x, y \in \mathbb{R}^N_+$ such that xP^Fy , we have $u^F(x) > u^F(y)$. Then, u^F represents F. To see this, let $(c, E) \in \mathcal{C}$. For each $y \in X(c, E) \setminus \{F(c, E)\}$, we have $F(c, E)P^Fy$ and thus, $u^F(F(c, E)) > u^F(y)$. Therefore, $F(c, E) = \arg\max_{x \in X(c, E)} u^F(x)$.

We next show that for each $x, y \in \mathbb{R}^N_+$ such that xP^Fy , we have $u^F(x) > u^F(y)$. Let $x, y \in \mathbb{R}^N_+$ satisfy xP^Fy . Then, by Remark 1, $\sum_N x_i \ge \sum_N y_i$. Also note that, by definition of u^F and transitivity of \overline{R}^F , $u^F(x) \ge u^F(y)$. We next show that equality is not possible.

Case 1:
$$\sum_{N} x_i > \sum_{N} y_i$$
. Let $\varepsilon = \frac{1}{2} \left(\sum_{N} x_i - \sum_{N} y_i \right)$. Then

$$V_{\varepsilon}\left(x+e\right)\cap comp\left\{x+\left\{e\right\}\right\}\subseteq comp\left\{L\left(x,\overline{R}^{F}\right)+\left\{e\right\}\right\}\setminus comp\left\{L\left(y,\overline{R}^{F}\right)+\left\{e\right\}\right\}$$

and

$$\mu\left(V_{\varepsilon}\left(x+e\right)\cap\operatorname{comp}\left\{ x+\left\{ e\right\} \right\} \right)>0.$$

Thus,

$$u^{F}(x) - u^{F}(y) \ge \mu\left(V_{\varepsilon}(x+e) \cap comp\left\{x + \left\{e\right\}\right\}\right) > 0.$$

Case 2: $\sum_{N} x_{i} = \sum_{N} y_{i}$. Let $\overline{E} = \sum_{N} x_{i}$. By Lemma 10, there is $c^{x}, c^{y} \in \mathbb{R}^{N}_{+}$ such that $L(x, R^{F}) = X(c^{x}, \overline{E})$ and $L(y, R^{F}) = X(c^{y}, \overline{E})$.

Step 1: Defining δ_1 , δ_2 , and ε . Since $x \notin L(y, R^F)$, there is $i \in N$ such that $x_i > c_i^y$. Let $\delta_1 = \frac{1}{2} |x_i - c_i^y|$. Note that, $z \in V_{\delta_1}(x)$ implies $z \notin L(y, R^F)$. Next, by Lemma 11, there is $\delta_2 \in \mathbb{R}_{++}$ such that if $E \in (\overline{E} - \delta_2, \overline{E}]$ and $z \in L(y, R) \cap \Delta(E)$, then $L(z, R^F) \subseteq L(y, R^F)$. Let $\varepsilon = \min \{\delta_1, \delta_2\}$ and note that $\varepsilon > 0$.

Step 2: If $z \in L\left(y, \overline{R}^F\right)$, then $z \notin V_{\varepsilon}\left(x\right)$. If $\sum_{N} z_i \leq \overline{E} - \varepsilon$, then $z \notin V_{\varepsilon}\left(x\right)$ trivially holds. Alternatively assume $\sum_{N} z_i > \overline{E} - \varepsilon$. Since $z \in L\left(y, \overline{R}^F\right)$, there is $w^1, ..., w^k \in \mathbb{R}^N_+$ such that $y = w^1 P^F w^2 P^F ... P^F w^k = z$. Let $l \in \{1, ..., k-1\}$. Then, $\sum_{N} w_i^l \geq \sum_{N} z_i > \overline{E} - \varepsilon \geq \overline{E} - \delta_2$. Thus, if $w^l \in L\left(y, R^F\right)$, by Lemma 11, $L\left(w^l, R^F\right) \subseteq L\left(y, R^F\right)$. Since $w^l P^F w^{l+1}$, this implies $w^{l+1} \in L\left(y, R^F\right)$. Overall, $w^1 \in L\left(y, R^F\right)$ and for each $l \in \{1, ..., k-1\}$, $w^{l+1} \in L\left(y, R^F\right)$. Therefore, $z \in L\left(y, R^F\right)$. This and $\varepsilon \leq \delta_1$ implies $z \notin V_{\varepsilon}\left(x\right)$.

Step 3: $u^{F}(x) > u^{F}(y)$. By Step 2, $V_{\varepsilon}(x) \cap L\left(y, \overline{R}^{F}\right) = \emptyset$. Particularly, as noted in Step 1, there is $i \in N$ such that $x_{i} - \varepsilon > c_{i}^{y}$. We now claim

$$V_{\varepsilon}(x+e) \cap comp\left\{L\left(y,\overline{R}^{F}\right) + \{e\}\right\} = \emptyset.$$

To see this, let $z \in V_{\varepsilon}(x+e)$ and $w \in comp\{L(y, \overline{R}^F) + \{e\}\}$. Then, $z_i > x_i + 1 - \varepsilon > c_i^y + 1 \ge w_i$ implies $z \ne w$.

Now note that $V_{\varepsilon}(x) \cap L\left(x; \overline{R}^F\right) \neq \emptyset$ implies $V_{\varepsilon}(x+e) \cap \left\{L\left(x, \overline{R}^F\right) + \{e\}\right\} \neq \emptyset$. Thus

$$V_{\varepsilon}(x+e) \cap comp\left\{L\left(x,\overline{R}^F\right) + \{e\}\right\} \neq \emptyset.$$

Since $comp\left\{L\left(x,\overline{R}^F\right)+\left\{e\right\}\right\}$ has dimension n and contains x,

$$\mu\left(V_{\varepsilon}\left(x+e\right)\cap comp\left\{L\left(x,\overline{R}^{F}\right)+\left\{e\right\}\right\}\right)>0.$$

Finally, since

$$V_{\varepsilon}\left(x+e\right)\cap comp\left\{L\left(x,\overline{R}^{F}\right)+\left\{e\right\}\right\}\subseteq comp\left\{L\left(x,\overline{R}^{F}\right)+\left\{e\right\}\right\}\backslash comp\left\{L\left(y,\overline{R}^{F}\right)+\left\{e\right\}\right\},$$

we have

$$u^{F}(x) - u^{F}(y) \ge \mu\left(V_{\varepsilon}(x+e) \cap comp\left\{L\left(x, \overline{R}^{F}\right) + \{e\}\right\}\right) > 0.$$

Thus, $u^{F}(x) > u^{F}(y)$.

7 Weaker Notions of Rationality

In this section, we explore the implications of natural weakenings of rationality. Rationality requires the existence of a binary relation which is independent of the data of a given problem. However, there might be cases where it is more natural to allow the underlying preferences to depend on the social endowment or the characteristic vector.

We start by noting that allowing the underlying preferences to depend on the social endowment E does not affect our results. To see this, note that our results do not utilize properties that relate solutions to problems with different social endowment levels. Thus, our whole analysis would be true under a fixed endowment level, say E = 1. It is interesting to note that then, by *Propositions 4* and 5, contraction independence (and for n > 2, other-c

monotonicity) imply transitivity of the revealed preference relation R^F . Also note that then, in Theorem 4, continuity can be replaced with c-continuity.

Allowing the underlying preferences to depend on the characteristic vector has more radical implications. We discuss them next. Formally, a rule F is **weakly rational** if for each $c \in \mathbb{R}^N_+$, there is a binary relation $B(c) \subseteq \mathbb{R}^N_+ \times \mathbb{R}^N_+$ such that for each $(c, E) \in \mathcal{C}$, $F(c, E) = \{x \in X(c, E) \mid \text{ for each } y \in X(c, E), xB(c)y\}$.

It turns out that every rule satisfies this weak property.

Theorem 5 Every rule F is weakly rational.

Proof. Let $c \in \mathbb{R}_+^N$. We first claim that F(c, .) satisfies WARP. To see this, define the revealed preference relation induced by c, $R^F(c)$ as follows: for each $x, y \in \mathbb{R}_+^N$, $xR^F(c)y$ if and only if there is $E \in \mathbb{R}_+$ such that $(c, E) \in \mathcal{C}$, x = F(c, E) and $y \in X(c, E)$. Next, we show that $R^F(c)$ is antisymmetric: assume $xR^F(c)y$ and $yR^F(c)x$. Let E^x be such that $x = F(c, E^x)$ and $y \in X(c, E^x)$. Similarly, let E^y be such that $y = F(c, E^y)$ and $x \in X(c, E^y)$. Then $\sum_N x_i \leq E^y = \sum_N y_i \leq E^x = \sum_N x_i$. Thus, $E^x = E^y$. But then, $x = F(c, E^x)$ and $y = F(c, E^y)$ together imply x = y.

Now let $E \in \mathbb{R}_+$ be such that $(c, E) \in \mathcal{C}$. Then by definition of $R^F(c)$, for each $y \in X(c, E)$, $F(c, E)R^F(c)y$ and (by antisymmetry of $R^F(c)$) for each $y \in X(c, E) \setminus \{F(c, E)\}$, not $yR^F(c)F(c, E)$. Thus, $F(c, E) = \{x \in X(c, E) \mid \text{ for each } y \in X(c, E), xR^F(c)y\}$.

Since this argument is true for each $c \in \mathbb{R}^N_+$, F is weakly rational.

References

- [1] Aumann, R.J. and Maschler, M., 1985, Game Theoretic Analysis of a Bankruptcy Problem from the Talmud, *Journal of Economic Theory*, 36, 195-213.
- [2] Barberà, S., Jackson, M., and Neme, A., 1997, Strategy-proof Allotment Rules. *Games and Economic Behavior*, 18, 1-21.
- [3] Bénassy, J.P., 1993, Nonclearing Markets: Microeconomic Concepts and Macroeconomic Applications. *Journal of Economic Literature*, 31, 732-761.
- [4] Bossert, W., 1994, Rational Choice and Two Person Bargaining Solutions, *Journal of Mathematical Economics*, 23, 549-563.

- [5] Bossert, W. and Sprumont Y., 2007, Non-deteriorating choice, Economica, forthcoming.
- [6] Cachon, G. and M. Lariviere, 1999, Capacity Choice and Allocation: Strategic Behavior and Supply Chain Performance, *Management Science*, 45, 1091-1108.
- [7] Chun, Y. and Thomson, W., 1992, Bargaining Problems with Claims, *Mathematical Social Sciences*, 24, 19-33.
- [8] Debreu, G., 1954, Representation of a Preference Ordering by a Numerical Function, in *Decision Processes*, ed. by R. M. Thrall, C. H. Coombs, and R. L. Davis, New York: Wiley.
- [9] Edgeworth, F. Y., 1898, The Pure Theory of Taxation, in R. A. Musgrave and A. T. Peacock (Eds.), (1958) Classiscs in the Theory of Public Finance. Macmillan, New York.
- [10] Gale, D., 1960, A Note on Revealed Preference, Economica, 27, 348-354.
- [11] Houthakker, H.S., 1950, Revealed Preference and the Utility Function, *Economica*, 17, 159-174.
- [12] Kıbrıs, Ö., 2003, Constrained Allocation Problems with Single-Peaked Preferences: An Axiomatic Analysis, *Social Choice and Welfare*, 20:3, 353-362.
- [13] Kıbrıs, Ö. and Küçükşenel, S., 2008, Uniform Trade Rules for Uncleared Markets, *Social Choice and Welfare*, forthcoming.
- [14] Kihlstrom, R., A. Mas-Cole11 and H.F. Sonnenschein, 1976, The Demand Theory of the Weak Axiom of Revealed Preference, *Econometrica* 44, 971-978.
- [15] Kim, T., 1987, Intransitive Indifference and Revealed Preference, *Econometrica*, 55, 95-115.
- [16] Lensberg, T., 1987, Stability and Collective Rationality, Econometrica, 55, 935-961.
- [17] Masatlioglu. Y. and Ok, E., 2005, Rational Choice with Status-Quo Bias, Journal of Economic Theory, 115, 1-29.
- [18] Moulin, H., 1985, Egalitarianism and utilitarianism in quasi-linear bargaining, *Econometrica*, 53, 49–67.

- [19] Moulin, H., 1987, Equal or proportional division of a surplus, and other methods, *International Journal of Game Theory*, 16, 161–186.
- [20] Nash, J.F., 1950, The Bargaining Problem, Econometrica, 18, 155-162.
- [21] O'Neill, B., 1982, A Problem of Rights Arbitration from the Talmud, *Mathematical Social Sciences*, 2, 287-301.
- [22] Peters, H., 1986, Characterizations of Bargaining Solutions by Properties of Their Status Quo Sets, University of Limburg Research Memorandum, 86-012.
- [23] Peters, H. and Van Damme, E., 1991, Characterizing the Nash and Raiffa Bargaining Solutions by Disagreement Point properties, *Mathematics of Operations Research*, 16:3, 447-461.
- [24] Peters, H. and P. Wakker, 1991, Independence of Irrelevant Alternatives and Revealed Group Preferences, *Econometrica*, 59, 1787-1801.
- [25] Peters, H., Wakker, P., 1994, WARP Does Not Imply SARP For More Than Two Commodities. Journal of Economic Theory, 62, 152-160
- [26] Richter, M.K., 1966, Revealed Preference Theory, Econometrica, 34, 635-645.
- [27] Richter, M.K., 1971, Rational Choice, in: J.S. Chipman, L. Hurwicz, M.K. Richter and H.F. Sonnenschein, eds., *Preferences, Utility, and Demand* (Harcourt-Brace-Jovanovich, New York) 29-58.
- [28] Rose, H., 1958, Consistency of Preference: The Two-Commodity Case, Review of Economic Studies, 25, 124-125.
- [29] Rubinstein, A. and Salant, Y., 2006, A Model of Choice from Lists, Theoretical Economics, 1, 3-17.
- [30] Rubinstein, A. and Salant, Y., 2007, (A,f), Choice with Frames, Review of Economic Studies, forthcoming.
- [31] Samuelson, P.A., 1938, A Note on the Pure Theory of Consumer's Behaviour, *Economica*, 5, 61-71.

- [32] Samuelson, P.A., 1948, Consumption Theory in Terms of Revealed Preferences, *Economica*, 15, 243-253.
- [33] Sánchez, M. C., 2000, Rationality of Bargaining Solutions, *Journal of Mathematical Economics*, 389-399.
- [34] Sen, A.K., 1971, Choice Functions and Revealed Preferences, Review of Economic Studies, 38, 307-317.
- [35] Sondermann, D., 1982, Revealed Preference: An Elementary Treatment, *Econometrica*, 50:3, 777-779.
- [36] Sprumont, Y., 1991, The Division Problem With Single-Peaked Preferences: A Characterization of the Uniform Allocation Rule, *Econometrica*, 49, 509-519.
- [37] Tapkı, İ.G., 2007, Revealed Incomplete Preferences under Status-Quo Bias, *Mathematical Social Sciences*, 53, 274-283.
- [38] Thomson, W. (1993), The Replacement Principle in Public Good Economies with Single-Peaked Preferences, *Economics Letters*, 42, 31-36.
- [39] Thomson, W., 1997, The Replacement Principle in Private Good Economies with Single-Peaked Preferences, *Journal of Economic Theory*, 76:1, 145-168.
- [40] Thomson, W., 1998, The Theory of Fair Alocation, book manuscript.
- [41] Thomson, W., 2003, Axiomatic and Game-Theoretic Analysis of Bankruptcy and Taxation Problems: A Survey, *Mathematical Social Sciences*, 45, 249-297.
- [42] Thomson, W., 2007, How to Divide When There Isn't Enough: From the Talmud to Game Theory, book manuscript.
- [43] Ville, J., 1946, Sur les Conditions d'Existence d'Une Ophélimité Totale d'Un Indice du Niveau des Prix, Annales de l'Université de Lyon, Se. A(3), 32-39.
- [44] Young, P., 1987, On dividing an amount according to individual claims or liabilities.

 Mathematics of Operations Research, 12, 398–414.